



NOTE: WHEN WATER SERVICES ARE LOWERED, THEY SHALL BE LOWERED OR RELOCATED TO AVOID CONFLICT WITH PROPOSED SEWERS, WALLS AND OTHER STRUCTURES.

| WATER SERVICE STATUS | CONTRACTOR'S RESPONSIBILITY | COMPENSATION |
|---|---|--|
| 1. CHECK DEPTH-SERVICE HAS MINIMUM 60" OF EARTH COVER TO FINISH GRADE. | BACKFILL AND COMPACT INSPECTION EXCAVATION. | BID ITEM "CHECK DEPTH OF WATER SERVICE" |
| 2. CHECK DEPTH-SERVICE HAS LESS THAN 60" OF EARTH TO FINISH GRADE AND SERVICE COMPLIES WITH PLUMBING CODE. | LOWER SERVICE. | BID ITEM "LOWER WATER SERVICE" |
| 3. CHECK DEPTH-SERVICE HAS LESS THAN 60" OF EARTH COVER TO FINISH GRADE BUT PLUMBING CODE ENFORCEMENT WILL NOT ALLOW EXISTING PIPE TO BE LOWERED OR REUSED. | LOWER SERVICE WITH NEW COPPER PIPE. | BID ITEM "LOWER WATER SERVICE WITH NEW COPPER" |
| 4. NEW STOP BOX REQUIRED IN CASE 2 OR 3 ABOVE | INSTALL NEW STOP BOX | INCIDENTAL TO APPLICABLE BID ITEM IN CASE 2 OR 3 |
| 5. EXISTING TAP DOES NOT COMPLY WITH PLUMBING CODE IN CASE 3 ABOVE. | PROVIDE NEW TAP IF REQUIRED. | CHANGE ORDER, IF NOT BID ITEM. |

| | | | | |
|----------------|----------|----|---------------------|----------------|
| I | 01/25/01 | | LOWER WATER SERVICE | FIGURE: 5010.7 |
| REV. | DATE | BY | | SHEET 1 OF 1 |
| DATE: 05-25-00 | | | | |